

## Author Index—Volume 104 (1998)

Abdelbar, A.M.	
An algorithm for finding MAPs for belief networks through cost-based abduction	331–338
Aha, D.W., see Kasif, S.	287–311
Anrig, B., see Kohlas, J.	71–106
Baral, C., A. Gabaldon and A. Proveti	
Formalizing narratives using nested circumscription	107–164
Costello, T.	
The expressive power of circumscription	313–329
Davis, R., see Stahovich, T.F.	211–264
Evenchik, A., see Kraus, S.	1–69
Ford, K.M., see LaForte, G.	265–286
Gabaldon, A., see Baral, C.	107–164
Haenni, R., see Kohlas, J.	71–106
Hayes, P.J., see LaForte, G.	265–286
Kasif, S., S. Salzberg, D. Waltz, J. Rachlin and D.W. Aha	
A probabilistic framework for memory-based reasoning	287–311
Kohlas, J., B. Anrig, R. Haenni and P.A. Monney	
Model-based diagnostics and probabilistic assumption-based reasoning	71–106
Kraus, S., K. Sycara and A. Evenchik	
Reaching agreements through argumentation: a logical model and implementation	1–69
LaForte, G., P.J. Hayes and K.M. Ford	
Why Gödel's theorem cannot refute computationalism	265–286
Levy, A.Y. and M.-C. Rousset	
Combining Horn rules and description logics in CARIN	165–209
Monney, P.A., see Kohlas, J.	71–106
Proveti, A., see Baral, C.	107–164
Rachlin, J., see Kasif, S.	287–311
Rousset, M.-C., see Levy, A.Y.	165–209
Salzberg, S., see Kasif, S.	287–311

- Shrobe, H., see Stahovich, T.F. 211–264
- Stahovich, T.F., R. Davis and H. Shrobe  
    Generating multiple new designs from a sketch 211–264
- Sycara, K., see Kraus, S. 1– 69
- Thielscher, M.  
    Reasoning about actions: steady versus stabilizing state constraints 339–355
- Waltz, D., see Kasif, S. 287–311